

## Esotec System 222

While individual drivers are available separately to offer complete system building flexibility, Dynaudio has packaged the most popular two-way driver complements with audiophile quality, competition-grade, adjustable passive crossover networks into component system packages to deliver the new Esotec performance quality at the highest level of value possible.

The Esotec System 222 is a two-way component system comprising one pair each of MW 152 woofers, MD 102 tweeters and X 252 crossovers along with all mounting hardware and grilles.



- Esotec System 222**
- Two-Way System
  - 5.75" MSP-Woofer, 1.1" Soft-Dome Tweeter
  - Frequency Response: 55 Hz – 25 kHz
  - Sensitivity: 91 dB
  - Continuous Power Handling: 200 Watts
  - System Impedance: 4 Ω



## Esotec Grilles

The original Dynaudio Protection Grilles separately are available for every driver.

Their massive and indestructible finish will make sure your build-in drivers never get damaged. The tutelary metal-grid is uncritical in acoustical behaviour and can be mounted free of resonances with usual screws. With their unobtrusive surfacefinish the Dynaudio grilles can be integrated inconspicuously in almost every interior to guide every attention to the essential – just to the music!



- Esotec Grilles**
- Inherently stable
  - Acoustically permeable grid-structure
  - Including mounting-ring with Dynaudio Logo
  - Discreet anthracite varnish
  - Excluding corresponding screws





## Esotec System 242

The Esotec System 242 is a two-way component system comprising one pair each of MW 162 woofers, MD 102 tweeters and X 252 crossovers along with all mounting hardware and grilles.

Dynaudio's Esotec component sets are designed to facilitate performance optimized system synergies offering an unprecedented level of sound quality and flexibility in a wide range of applications and vehicles. The new Esotec car series crossovers are impedance-corrected and truly linear, thus enabling a wide variety of power amplifiers to be ideally utilized to drive the entire range of Esotec loudspeaker models, allowing the full potential of the Dynaudio system to be realized – something essential for a perfectly harmonious and comprehensive system performance.



- Esotec System 242**
- Two-Way System
  - 7" MSP-Woofer, 1.1" Soft-Dome Tweeter
  - Frequency Response: 55 Hz – 25 kHz
  - Sensitivity: 90 dB
  - Continuous Power Handling: 100 Watts
  - System Impedance: 4 Ω



## Esotec System 242 GT

The Esotec System 242 GT is a two-way component system comprising one pair each of MW 162 GT woofers, MD 102 tweeters and X 252 crossovers along with all mounting hardware and grilles.

In order to perfectly integrate the improved drivers, the Esotec component systems feature new crossover designs updated with optimized parameters. The balanced frequency response of the Dynaudio Esotec automotive loudspeaker series is not simply the result of the superior drivers utilized, but also a product of the accurate fine-tuning in the crossover.



- Esotec System 242 GT**
- Two-Way System
  - 7" MSP-Woofer, 1.1" Soft-Dome Tweeter
  - Frequency Response: 55 Hz – 25 kHz
  - Sensitivity: 90 dB
  - Continuous Power Handling: 100 Watts
  - System Impedance: 4 Ω





## Esotec System 342

The Esotec System 342 three-way component system includes one pair each of the MD 102 soft-dome tweeter, MD 142 soft-dome midrange, MW 162 mid/woofer and X 362 audiophile quality, competition-grade, adjustable passive crossover networks into an ultra high performance package that delivers Dynaudio's advanced high fidelity sound and an incredible level of installation flexibility. All mounting hardware and grilles are included.

Taking the performance of the company's two-way systems one step further, Dynaudio's Esotec three-way systems incorporate the innovative MD 142 soft-dome midrange unit that adds a further sense of refinement to the system while offering such at the highest possible value.



- Esotec System 342**
- Three-Way System
  - 7" MSP-Woofer, 3" Soft-Dome Midrange, 1.1" Soft-Dome Tweeter
  - Frequency Response: 55 Hz – 25 kHz
  - Sensitivity: 91 dB
  - Continuous Power Handling: 200 Watts
  - System Impedance: 4 Ω



## Esotec System 362

The Esotec System 362 component systems combine one pair each of the MD 102 soft-dome tweeter, MD 142 softdome midrange, MW 172 woofers and the X 362 crossover networks into an incredibly refined and ultimately powerful three-way component system. All mounting hardware and grilles are included.

The Dynaudio Esotec mobile loudspeakers are perfectly complemented by the company's various dedicated crossover offerings. The Esotec component system crossovers are truly competition grade, using the highest quality components throughout. Custom produced, hand-selected, top quality polypropylene capacitors and custom wound, high-grade air-core inductors are utilized, as are impedance correction networks and tweeter protection circuits and independent tweeter adjustment levels for added system set-up flexibility. Mated to the advanced technology Esotec car series loudspeakers, the net result is a system that delivers authentic Dynaudio sound quality with a neutral tonal balance, incredible imaging and sound-staging capabilities, unsurpassed dynamics and complete transparency.



- Esotec System 362**
- Three-Way System
  - 8" MSP-Woofer, 3" Soft-Dome Midrange, 1.1" Soft-Dome Tweeter
  - Frequency Response: 40 Hz – 25 kHz
  - Sensitivity: 92 dB
  - Continuous Power Handling: 200 Watts
  - System Impedance: 4 Ω

